

Functions

ED8000

Rim ED8200 ED8200B ED8200A	Surface Vertical Rod ED8400 ED8400A	Туре	ANSI No.	Function Descriptions
Inside Outside	Inside Outside			
		Exit Only	F01	• Exit only; no trim.
		Dummy	F02	Entrance by trim when actuating bar is locked down.
	<u>Д</u> р			
		Nightlatch	F03	Entrance by trim when latch bolt is retracted by key. Key removable only when locked.
		Classroom	F08	Entrance by knob or lever. Key locks or unlocks knob or lever.
		Passage	_	Latch bolt retracted by knob or lever.
		Storeroom (Lever Active)	F09	Entrance by knob or lever only when released by key. Key removable only when locked.



Indicates rigid grip when locked.

Note: Trims shown are for function representation only. See pages 9 and 10 for available trims.



Functions

ED8000

			Trim/Function				
	Trim Design		Passage	Dummy ANSI No. F02	Classroom ANSI No. F08	Nightlatch ANSI No. F03	Storeroom ANSI No. F09
	Armstrong A6 Lever: Die cast zinc Rose: Wrought brass or bronze Cylinder: Key-in-lever Available in plated finishes only.	3-1/2" 4-1/2"	A610	A650	A655	A657²	A659
	Newport N6 Lever: Die cast zinc Rose: Wrought brass or bronze Cylinder: Key-in-lever Available in plated finishes only.	3-1/2" 4-1/2" 2-13/16"	N610	N650	N655	N657²	N659
(Co)	Princeton PR6 Lever: Die cast zinc Rose: Wrought brass or bronze Cylinder: Key-in-lever Available in plated finishes only.	3-1/2" 4-5/8"	PR610	PR650	PR655	PR657²	PR659
	Global G10 Knob: Wrought Rose: Wrought brass or bronze Cylinder: Key-in-knob Available in plated finishes only.	3-1/2" 2-1/4"	G1010	G1050	G1055	G1057 ²	G1059
	Flat Plate F1 Plate: Steel Cylinder: Rim Available in plated and painted finishes.	3-1/2*	N/A	F150¹	N/A	F157²	N/A

Notes:
1. Blank plate with no ANSI function.
2. Not recommended for use with ED8400 or ED8400A Surface Vertical Rod devices.



Functions

ED8000

			Trim/Function			
	Trim Design		Passage	Dummy ANSI No. F02	Classroom ANSI No. F08	Nightlatch ANSI No. F03
6	Wing Pull P8 Pull: Extruded Cylinder: Rim Available in painted finishes only.	3-1/2"	N/A	P850	N/A	P857²
	Offset Pull P2 Pull: Extruded Cylinder: Rim Available in plated finishes only.	5-3/4* 0 2-1/4*	N/A	P250	N/A	P257²
	Key Only KO Cylinder: Rim Note: Available with cylinder option only. Ex: K057 x 6P		N/A	N/A	N/A	KO57²

^{2.} Not recommended for use with ED8400 or ED8400A Surface Vertical Rod devices.

Offset Pull Trim: P12, P13, P14*					
	Offset Pull P12 Clearance: 2-1/2"	+4"+ 11" 10"	Specify Part Number, 716F50M x Finish ¹		
	Offset Pull P13 Clearance: 2-1/2"	19"	Specify Part Number, 716F51M x Finish ¹		
	Offset Pull P14 Clearance: 2-1/2"	10-3/4"	Specify Part Number, 716F52M x Finish ¹		

^{1.} Available in 605, 606, 612, 613, 626, 629 and 630 finishes. *Available on 1-3/4" thick doors only.