

Uniset drawer-standard range

Uniset drawer 551 H53



page 308-309

Uniset drawer 651 H85



page 310-311

Uniset drawer 751 H117



page 312-313

Uniset drawer 851 H150



page 314-315


Uniset drawer 951 H200



page 316-317


Common technical information

Slide fixing positions & drilling pattern



Products could have pilot holes not shown in the drawings which are not contractual


Extension loss



L	250	270	350	400	450	500	550
AV	75	75	75	100	100	100	120

L = NOMINAL LENGTH
AV = EXTENSION LOSS

Bottom length



L	250	270	350	400	450	500	550
Z	248	268	348	398	448	498	548

Z = BOTTOM LENGTH

Values given in mm

307

Uniset drawer 551 H53



Uniset 551 in height 53mm

Benefits for the industry

- Large range of dimensions from 250 to 550 mm depth
- Identical width for wooden bottom and back panel
- Unilateral restraint-guiding to compensate for furniture tolerances
- Simple bottom mounting for ease of assembly
- Vertical front adjustment +/-1.5mm up and down
- Lasting quality thanks to optimised materials
- Choice of colours to match furniture finish
- Excellent load ability with 25kg standard capacity throughout the range
- 551 screw fixing and 561 dowel fixing drawer versions
- NoTool application for SlowMotion Zeta Anyway

Benefits for the consumer

- Smooth functioning thanks to new generation of wheel design and epoxy finish
- Long self-closing feature for secure and controlled closing
- Small extraction loss due to compact build
- Straight inner wall for space optimisation
- Ease of drawer extraction for cleaning
- Excellent load ability with 25kg standard capacity
- Add-on SlowMotion Zeta Anyway damping with stop-close SlowMotion^{FR} technology

DRAWER 551

Screw fixing brackets

Code	Description	Packing
58.0551.C*.250.°000	Uniset drawer 551 H53 - 250	10 per box
58.0551.C*.270.°000	Uniset drawer 551 H53 - 270	10 per box
58.0551.C*.350.°000	Uniset drawer 551 H53 - 350	10 per box
58.0551.C*.400.°000	Uniset drawer 551 H53 - 400	10 per box
58.0551.C*.450.°000	Uniset drawer 551 H53 - 450	10 per box
58.0551.C*.500.°000	Uniset drawer 551 H53 - 500	10 per box
58.0551.C*.550.°000	Uniset drawer 551 H53 - 550	10 per box

* colour codes: 1 = White Ral 9010 / 6 = Grey Ral 7004 / 8 = Silver Ral 9006.

° drawer: 0 = Standard version / R = NoTool version.

10x10 Dowel fixing brackets

Code	Description	Packing
58.0561.C*.250.°000	Uniset drawer 561 H53 - 250	10 per box
58.0561.C*.270.°000	Uniset drawer 561 H53 - 270	10 per box
58.0561.C*.350.°000	Uniset drawer 561 H53 - 350	10 per box
58.0561.C*.400.°000	Uniset drawer 561 H53 - 400	10 per box
58.0561.C*.450.°000	Uniset drawer 561 H53 - 450	10 per box
58.0561.C*.500.°000	Uniset drawer 561 H53 - 500	10 per box
58.0561.C*.550.°000	Uniset drawer 561 H53 - 550	10 per box

* colour codes: 1 = White Ral 9010 / 6 = Grey Ral 7004 / 8 = Silver Ral 9006.


° drawer: 0 = Standard version / R = NoTool version.



Uniset R NoTool version for SlowMotion Zeta application





Uniset drawer grey finish





Fixing dimensions

DRAWER 551




Front & back drilling pattern




X = BOTTOM WIDTH
Y = BACK WIDTH
K = INTERNAL CABINET WIDTH



Adjustments



Uniset R NoTool version for SlowMotion Zeta application



Uniset drawer 651 H85



Uniset 651 in height 85mm

Benefits for the industry

- Large range of dimensions from 250 to 550 mm depth
- Identical width for wooden bottom and back panel
- Unilateral restraint-guiding to compensate for furniture tolerances
- Simple bottom mounting for ease of assembly
- Strong front fix with 64mm spacing
- Vertical front adjustment +/-1.5mm up and down
- Horizontal front adjustment +/-1.5mm left and right
- Lasting quality thanks to optimised materials
- Choice of colours to match furniture finish
- Excellent load ability with 25kg standard capacity throughout the range
- 651 screw fixing and 661 dowel fixing drawer versions
- NoTool application for SlowMotion Zeta Anyway
- Available also machine compatible crimp on version 681 (page 318-319)

Benefits for the consumer

- Smooth functioning thanks to new generation of wheel design and epoxy finish
- Long self-closing feature for secure and controlled closing
- Small extraction loss due to compact build
- Straight inner wall for space optimisation
- Ease of drawer extraction for cleaning
- Excellent load ability with 25kg standard capacity
- Add-on SlowMotion Zeta Anyway damping with stop-close SlowMotion^{FR} technology

DRAWER 651

Screw fixing brackets

Code	Description	Packing
58.065^..C*.25G.°000	Uniset drawer 651 H85 - 250	10 per box
58.065^..C*.27G.°000	Uniset drawer 651 H85 - 270	10 per box
58.065^..C*.35G.°000	Uniset drawer 651 H85 - 350	10 per box
58.065^..C*.40G.°000	Uniset drawer 651 H85 - 400	10 per box
58.065^..C*.45G.°000	Uniset drawer 651 H85 - 450	10 per box
58.065^..C*.50G.°000	Uniset drawer 651 H85 - 500	10 per box
58.065^..C*.55G.°000	Uniset drawer 651 H85 - 550	10 per box

^ brackets: 1 = with premounted brackets / 0 = with unassembled brackets.

* colour codes: 1 = White Ral 9010 / 6 = Grey Ral 7004 / 8 = Silver Ral 9006.

° drawer: 0 = Standard version / R = NoTool version.

10x10 Dowel fixing brackets

Code	Description	Packing
58.066^..C*.25G.°000	Uniset drawer 661 H85 - 250	10 per box
58.066^..C*.27G.°000	Uniset drawer 661 H85 - 270	10 per box
58.066^..C*.35G.°000	Uniset drawer 661 H85 - 350	10 per box
58.066^..C*.40G.°000	Uniset drawer 661 H85 - 400	10 per box
58.066^..C*.45G.°000	Uniset drawer 661 H85 - 450	10 per box
58.066^..C*.50G.°000	Uniset drawer 661 H85 - 500	10 per box
58.066^..C*.55G.°000	Uniset drawer 661 H85 - 550	10 per box

^ brackets: 1 = with premounted brackets / 0 = with unassembled brackets.

* colour codes: 1 = White Ral 9010 / 6 = Grey Ral 7004 / 8 = Silver Ral 9006.


° drawer: 0 = Standard version / R = NoTool version.



Uniset R NoTool version for SlowMotion Zeta application





Uniset drawer 651 H85 grey finish




Fixing dimensions


DRAWER 651




Front & back drilling pattern






X = BOTTOM WIDTH
Y = BACK WIDTH
K = INTERNAL CABINET WIDTH



Adjustments



Uniset R NoTool version for SlowMotion Zeta application





Uniset drawer 751 H117



Uniset 751 in height 117mm

Benefits for the industry

- Large range of dimensions from 250 to 550 mm depth
- Identical width for wooden bottom and back panel
- Unilateral restraint-guiding to compensate for furniture tolerances
- Simple bottom mounting for ease of assembly
- Strong front fix with 64mm spacing
- Vertical front adjustment +/-1.5mm up and down
- Horizontal front adjustment +/- 1.5mm left and right
- Lasting quality thanks to optimised materials
- Choice of colours to match furniture finish
- Excellent load ability with 25kg standard capacity throughout the range
- 751 screw fixing and 761 dowel fixing drawer versions
- NoTool application for SlowMotion Zeta Anyway
- Available also machine compatible crimp on version 781 (page 318-319)

Benefits for the consumer

- Smooth functioning thanks to new generation of wheel design and epoxy finish
- Long self-closing feature for secure and controlled closing
- Small extraction loss due to compact build
- Straight inner wall for space optimisation
- Ease of drawer extraction for cleaning
- Excellent load ability with 25kg standard capacity
- Add-on SlowMotion Zeta Anyway damping with stop-close SlowMotion^{FR} technology

DRAWER 751

Screw fixing brackets

Code	Description	Packing
58.075 [^] .C*.25G.°000	Uniset drawer 751 H117 - 250	10 per box
58.075 [^] .C*.27G.°000	Uniset drawer 751 H117 - 270	10 per box
58.075 [^] .C*.35G.°000	Uniset drawer 751 H117 - 350	10 per box
58.075 [^] .C*.40G.°000	Uniset drawer 751 H117 - 400	10 per box
58.075 [^] .C*.45G.°000	Uniset drawer 751 H117 - 450	10 per box
58.075 [^] .C*.50G.°000	Uniset drawer 751 H117 - 500	10 per box
58.075 [^] .C*.55G.°000	Uniset drawer 751 H117 - 550	10 per box

[^] brackets: 1 = with premounted brackets / 0 = with unassembled brackets.

* colour codes: 1 = White Ral 9010 / 6 = Grey Ral 7004 / 8 = Silver Ral 9006.

° drawer: 0 = Standard version / R = NoTool version.

10x10 Dowel fixing brackets

Code	Description	Packing
58.076 [^] .C*.25G.°000	Uniset drawer 761 H117 - 250	10 per box
58.076 [^] .C*.27G.°000	Uniset drawer 761 H117 - 270	10 per box
58.076 [^] .C*.35G.°000	Uniset drawer 761 H117 - 350	10 per box
58.076 [^] .C*.40G.°000	Uniset drawer 761 H117 - 400	10 per box
58.076 [^] .C*.45G.°000	Uniset drawer 761 H117 - 450	10 per box
58.076 [^] .C*.50G.°000	Uniset drawer 761 H117 - 500	10 per box
58.076 [^] .C*.55G.°000	Uniset drawer 761 H117 - 550	10 per box

[^] brackets: 1 = with premounted brackets / 0 = with unassembled brackets.

* colour codes: 1 = White Ral 9010 / 6 = Grey Ral 7004 / 8 = Silver Ral 9006.


° drawer: 0 = Standard version / R = NoTool version.



Uniset R NoTool version for SlowMotion Zeta application





Uniset drawer grey finish





Fixing dimensions

DRAWER 751




Front & back drilling pattern




X = BOTTOM WIDTH
Y = BACK WIDTH
K = INTERNAL CABINET WIDTH



Adjustments



Uniset R NoTool version for SlowMotion Zeta application



Uniset drawer 851 H150



Uniset 851 in height 150mm

Benefits for the industry

- Large range of dimensions from 250 to 550 mm depth
- Identical width for wooden bottom and back panel
- Unilateral restraint-guiding to compensate for furniture tolerances
- Simple bottom mounting for ease of assembly
- Strong front fix with 64mm spacing
- Vertical front adjustment +/-1.5mm up and down
- Horizontal front adjustment +/-1.5mm left and right
- Lasting quality thanks to optimised materials
- Choice of colours to match furniture finish
- Excellent load ability with 25kg standard capacity throughout the range
- 851 screw fixing and 861 dowel fixing drawer versions
- NoTool application for SlowMotion Zeta Anyway
- Available also machine compatible crimp on version 881 (page 318-319)

Benefits for the consumer

- Smooth functioning thanks to new generation of wheel design and epoxy finish
- Long self-closing feature for secure and controlled closing
- Small extraction loss due to compact build
- Straight inner wall for space optimisation
- Ease of drawer extraction for cleaning
- Excellent load ability with 25kg standard capacity
- Add-on SlowMotion Zeta Anyway damping with stop-close SlowMotion^{FR} technology

DRAWER 851

Screw fixing brackets

Code	Description	Packing
58.085^*.C*.25G.°000	Uniset drawer 851 H150 - 250	10 per box
58.085^*.C*.27G.°000	Uniset drawer 851 H150 - 270	10 per box
58.085^*.C*.35G.°000	Uniset drawer 851 H150 - 350	10 per box
58.085^*.C*.40G.°000	Uniset drawer 851 H150 - 400	10 per box
58.085^*.C*.45G.°000	Uniset drawer 851 H150 - 450	10 per box
58.085^*.C*.50G.°000	Uniset drawer 851 H150 - 500	10 per box
58.085^*.C*.55G.°000	Uniset drawer 851 H150 - 550	10 per box

^ brackets: 1 = with premounted brackets / 0 = with unassembled brackets.

* colour codes: 1 = White Ral 9010 / 6 = Grey Ral 7004 / 8 = Silver Ral 9006.

° drawer: 0 = Standard version / R = NoTool version.

10x10 Dowel fixing brackets

Code	Description	Packing
58.086^*.C*.25G.°000	Uniset drawer 861 H150 - 250	10 per box
58.086^*.C*.27G.°000	Uniset drawer 861 H150 - 270	10 per box
58.086^*.C*.35G.°000	Uniset drawer 861 H150 - 350	10 per box
58.086^*.C*.40G.°000	Uniset drawer 861 H150 - 400	10 per box
58.086^*.C*.45G.°000	Uniset drawer 861 H150 - 450	10 per box
58.086^*.C*.50G.°000	Uniset drawer 861 H150 - 500	10 per box
58.086^*.C*.55G.°000	Uniset drawer 851 H150 - 550	10 per box

^ brackets: 1 = with premounted brackets / 0 = with unassembled brackets.

* colour codes: 1 = White Ral 9010 / 6 = Grey Ral 7004 / 8 = Silver Ral 9006.


° drawer: 0 = Standard version / R = NoTool version.



Uniset R NoTool version for SlowMotion Zeta application





Uniset drawer grey finish





Fixing dimensions

DRAWER 851




Front & back drilling pattern




X = BOTTOM WIDTH
Y = BACK WIDTH
K = INTERNAL CABINET WIDTH



Adjustments



Uniset R NoTool version for SlowMotion Zeta application



Uniset drawer 951 H200



Uniset 951 in height 200mm

Benefits for the industry

- Large range of dimensions from 250 to 550 mm depth
- Identical width for wooden bottom and back panel
- Unilateral restraint-guiding to compensate for furniture tolerances
- Simple bottom mounting for ease of assembly
- Strong front fix with 64mm spacing
- Vertical front adjustment +/-1.5mm up and down
- Horizontal front adjustment +/-1.5mm left and right
- Lasting quality thanks to optimised materials
- Choice of colours to match furniture finish
- Excellent load ability with 25kg standard capacity throughout the range

Benefits for the consumer

- Smooth functioning thanks to new generation of wheel design and epoxy finish
- Long self-closing feature for secure and controlled closing
- Small extraction loss due to compact build
- Straight inner wall for space optimisation
- Ease of drawer extraction for cleaning
- Excellent load ability with 25kg standard capacity

DRAWER 951

Screw fixing brackets

Code	Description	Packing
58.095^..C*.25G..°000	Uniset drawer 951 H200 - 250	5 per box
58.095^..C*.27G..°000	Uniset drawer 951 H200 - 270	5 per box
58.095^..C*.35G..°000	Uniset drawer 951 H200 - 350	5 per box
58.095^..C*.40G..°000	Uniset drawer 951 H200 - 400	5 per box
58.095^..C*.45G..°000	Uniset drawer 951 H200 - 450	5 per box
58.095^..C*.50G..°000	Uniset drawer 951 H200 - 500	5 per box
58.095^..C*.55G..°000	Uniset drawer 951 H200 - 550	5 per box

^ brackets: 1 = with premounted brackets / 0 = with unassembled brackets.

* colour codes: 1 = White Ral 9010 / 6 = Grey Ral 7004 / 8 = Silver Ral 9006.

° drawer: 0 = Standard version / R = NoTool version.

10x10 Dowel fixing brackets

Code	Description	Packing
58.096^..C*.25G..°000	Uniset drawer 961 H200 - 250	5 per box
58.096^..C*.27G..°000	Uniset drawer 961 H200 - 270	5 per box
58.096^..C*.35G..°000	Uniset drawer 961 H200 - 350	5 per box
58.096^..C*.40G..°000	Uniset drawer 961 H200 - 400	5 per box
58.096^..C*.45G..°000	Uniset drawer 961 H200 - 450	5 per box
58.096^..C*.50G..°000	Uniset drawer 961 H200 - 500	5 per box
58.096^..C*.55G..°000	Uniset drawer 961 H200 - 550	5 per box

^ brackets: 1 = with premounted brackets / 0 = with unassembled brackets.

* colour codes: 1 = white Ral 9010 / 6 = grey Ral 7004 / 8 = silver Ral 9006.


° drawer: 0 = Standard version / R = NoTool version.



Uniset R NoTool version for SlowMotion Zeta application





Uniset drawer 951 H200 grey finish




Fixing dimensions


DRAWER 951




Front & back drilling pattern



X = BOTTOM WIDTH
Y = BACK WIDTH
K = INTERNAL CABINET WIDTH



Adjustments



Uniset R NoTool version for SlowMotion Zeta application

